

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	"3726369" "5339699"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:23
L2	19	1 and (magnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:25
L3	1	2 and (air) near3 (gap clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:26
L4	51732	carrier near3 plate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:26
L5	2511	4 and (tongue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:27
L6	345	5 and (magnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:27
L7	38	6 and (air) near3 (gap clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:27

L8	27	7 and (bar rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:28
L9	21	8 and (stop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:28
L10	0	("2351377").URPN.	USPAT	OR	ON	2008/03/05 10:31
L11	544	73/779.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:31
L12	222410	(hold\$4) near3 (plate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:33
L13	12199	12 and (tongue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:34
L14	1427	13 and (magnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:34
L15	120	14 and (air) near3 (gap clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:34
L16	48	15 and (stop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:35

L17	7	11 and (hold\$4 carrier) near3 plate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:38
L18	6	17 and (magnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:39
L19	776821	(force load pressure strain stress) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:45
L20	11433	19 and (hold\$4 carrier) near3 plate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:47
L21	3199	20 and (magnet magnetic\$4 magnetoresistive Hall)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:47
L22	1900	21 and (tongue bar rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:48
L23	244	22 and (air) near3 (gap clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:48
L24	169	23 and (stop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:48

L25	74	24 and (magnetic) near3 (field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:49
L26	5	25 and (tongue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:49
L27	359	11 and (force load pressure strain stress) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:54
L28	102	27 and (hold\$4 carrier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:54
L29	83	28 and (magnet magnetic\$4 magnetoresistive Hall)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:55
L30	46	29 and (tongue bar rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:55
L31	11	30 and (air) near3 (gap clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:55
L32	2	31 and (tongue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 10:57

L33	18647	(magnet magnetic magnetoresistive hall) near3 (air) near3 (gap clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:05
L34	7269	33 and (hold\$4 carrier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:05
L35	2968	34 and (tongue bar rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:05
L36	1765	35 and (magnetic) near3 (field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:06
L37	711	36 and (stop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:07
L38	153	37 and (force load pressure strain stress) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:09
L39	2	38 and (tongue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:10
L40	224	73/862.69.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:19

L41	7	40 and (magnet magnetic\$4 magnetoresistive hall) near3 (air) near3 (gap clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 11:19
-----	---	--	---	----	----	---------------------

3/ 5/ 08 11:22:30 AM